

WHAT IS CLAIMED IS:

1. In a computer system including a server accessing a database and a magnetic tape drive, a method for locating a group of audit files from said database on tape, said method comprising the steps of:

5 (a) creating a Tapeset for said group of audit files;

(b) initializing a disk directory file to hold positional information of said Tapeset;

10 (c) for each audit file within said group of audit files, locating said audit file within said Tapeset using said positional information.

2. The method as in Claim 1 wherein said group of audit files consists of one or more audit files.

3. The method as in Claim 1 wherein said step of locating said audit files within said Tapeset also applies to an already existing Tapeset and an already existing disk directory file.

4. The method as in Claim 1 wherein said step for creating said Tapeset includes the steps of:

(a1) selecting a name to uniquely identify said group of audit files;

(a2) creating a tape volume marker file with said name;

(a3) writing said tape volume marker file to each volume within said Tapeset;

5. The method as in Claim 1 wherein said step for initializing said disk directory file includes the steps of:

(b1) creating a disk directory file;

(b2) inserting a disk record as a first entry in said directory file.

6. The method as in Claim 1 wherein said step of locating said audit file within said Tapeset includes the steps of:

5

(c1) determining if said step of locating said audit file is for appending or for retrieving said audit file;

(c2) if said step of locating said audit file is for appending purposes, appending said audit file to said Tapeset;

10

(c3) if said step of locating said audit file is for retrieving purposes, retrieving said audit file from said Tapeset.

00007750.4294
T022T.054660

7. The method as in Claim 6 wherein said step of appending said audit file includes the steps of:

(c2a) opening said tape volume marker file;

5 (c2b) opening said disk directory file;

10 (c2c) determining a tape volume within said Tapeset for an audit file number preceding said audit file using information from said disk directory file;

15 (c2d) if said tape volume is not loaded on said magnetic tape drive, closing a logical tape for said tape volume and displaying a message to load said tape volume;

20 (c2e) fast-locating to an end position of said preceding audit file number using information from said disk directory file;

(c2f) closing said logical tape for said tape volume;

(c2g) appending said audit file at said end position;

25 (c2h) updating said disk directory file with information of said audit file.

00000750-43704
T022T-0526660

8. The method as in Claim 6 wherein said step of retrieving said audit file includes the steps of:

(c3a) opening said tape volume marker file;

5 (c3b) opening said disk directory file;

10 (c3c) determining a tape volume within said Tapeset for an audit file number matching said audit file using information from said disk directory file;

15 (c3d) if said tape volume is not loaded on said magnetic tape drive, closing a logical tape for said tape volume and displaying a message to load said tape volume;

20 (c3e) fast-locating to an end position of said matching audit file number using information from said disk directory file;

(c3f) closing said logical tape for said tape volume;

25 (c3g) opening said audit file at said start position of said matching audit file number.

9. The method as in Claim 7 wherein said step of updating said disk directory file with information of said audit file includes the steps of:

5 (c2ha) creating an audit record entry
in said disk directory file;

(c2hb) obtaining a starting position
of said audit file;

10 (c2hc) recording said starting
position into said audit record
entry;

(c2hd) obtaining an end position of
said audit file;

(c2he) recording said end position
into said audit record entry.

00007750-412704
F02E7 05660

10. A storage medium encoded with machine-readable computer program code for locating a group of audit files from a database maintained on tape, wherein, when the computer program code is executed by a computer, the computer performs the steps of:

(a) creating a Tapeset for said group of audit files;

(b) initializing a disk directory file to hold positional information of said Tapeset;

(c) for each audit file within said group of audit files, locating said audit file within said Tapeset.

10

T02E7"0S22660

11. The method as in Claim 9 wherein said group of audit files consists of one or more audit files.

12. The method as in Claim 10 wherein said locating step of said group of audit files also applies to an already existing Tapeset and an already existing disk directory file.

13. The method as in Claim 10 wherein said step for creating said Tapeset includes the steps of:

(a1) selecting a name to uniquely identify said group of audit files;

(a2) creating a tape volume marker file with said name;

(a3) writing said tape volume marker file to each volume within said Tapeset;

14. The method as in Claim 10 wherein said step for initializing said disk directory file includes the steps of:

(b1) creating a disk directory file;

(b2) inserting a disk record as a first entry in said directory file.

15. The method as in Claim 10 wherein said step of locating said audit file within said Tapeset includes the steps of:

5 (c1) determining if said step of locating said audit file is for appending or for retrieving said audit file;

(c2) if said step of locating said audit file is for appending purposes, appending said audit file to said Tapeset;

10 (c3) if said step of locating said audit file is for retrieving purposes, retrieving said audit file from said Tapeset.

16. The method as in Claim 15 wherein said step of appending said audit file includes the steps of:

5 (c1a) opening said tape volume marker file;

(c1b) opening said disk directory file;

10 (c1c) determining a tape volume within said Tapeset for an audit file number preceding said audit file using information from said disk directory file;

15 (c1d) if said tape volume is not loaded on said magnetic tape drive, closing a logical tape for said tape volume and displaying a message to load said tape volume;

```
(clf) closing said logical tape for
said tape volume;
```

(c1g) appending said audit file in
said tape volume at said end
position;

(clh) updating said disk directory
file with information of said audit
file.

17. The method as in Claim 15 wherein said step of retrieving said audit file includes the steps of:

(c2a) opening said tape volume marker file;

5 (c2b) opening said disk directory file;

(c2c) determining a tape volume within said Tapeset for an audit file number matching said audit file using information from said disk directory file;

10 (c2d) if said tape volume is not loaded on said magnetic tape drive, closing a logical tape for said tape volume and displaying a message to load said tape volume;

15 (c2e) fast-locating to an end position of said matching audit file number using information from said disk directory file;

(c2f) closing said logical tape for said tape volume;

20 (c2g) opening said audit file at said end position.

18. The method as in Claim 16 wherein said step of updating said disk directory file with information of said audit file includes the steps of:

5

(c3a) creating an audit record entry in said disk directory file;

(c3b) obtaining a starting position of said audit file;

(c3d) recording said starting position into said audit record entry;

10

(c3e) obtaining an end position of said audit file;

(c3f) recording said end position into said audit record entry.

U.S. PAT. & TRADEMARK OFFICE

5

(a) means to create a Tapeset having Tapeset numbers which identify the tape reel on which audit files are residing;

10

(c) means for retrieving said audit files from a tape reel for backup on disk of said database.